



09/ 903 099

MIT8607L

CofC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,928,223

Issued: August 9, 2005

Name of Patentee: Walpole et al.

Title of Invention: SLAB-COUPLED OPTICAL WAVEGUIDE LASER AND AMPLIFIER

Attention Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
AUG 24 2005
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION
OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))

1. Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.
2. The exact page and line number where the errors are shown correctly in the application file are:

On the cover page in the title delete "STAB" and replace with "SLAB"
In Column 1 of title delete "STAB" replace with "SLAB"
In claim 70, Col. 21, line 5, delete " $\text{Ga}_y\text{In}_{1-x}\text{As}_z\text{P}_{1-z}$ " and replace with " $\text{Ga}_y\text{In}_{1-y}\text{As}_z\text{P}_{1-z}$ "

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria, VA 22313-1450

Elizabeth M. Ball
Elizabeth M. Ball

Date: 8/17/05

AUG 24 2005

SEP 1 2005

3. Please send the Certificate to:

Name: Matthew E. Connors

Address: Gauthier & Connors, LLP

225 Franklin Street, Suite 2300

Boston, Massachusetts 02110

Reg. No.:33,298

SIGNATURE OF ATTORNEY

A handwritten signature in black ink, appearing to read "Matthew E. Connors", written over a horizontal line.

Tel. No.: (617) 426-9180
Extension 112

Matthew E. Connors
Gauthier & Connors, LLP
225 Franklin Street, Suite 2300
Boston, MA 02110

AUG 24 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,928,223
APPLICATION NO.: 09/903,099
ISSUE DATE : August 9, 2005
INVENTOR(S) : Walpole et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page in the title delete "STAB" and replace with "SLAB"

In the title, column 1, delete "STAB" replace with "SLAB"

In claim 70, Col. 21 line 5, delete " $\text{Ga}_y\text{In}_{1-x}\text{As}_z\text{P}_{1-z}$ " and replace with " $\text{Ga}_y\text{In}_{1-y}\text{As}_z\text{P}_{1-z}$ "

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Matthew E. Connors
Gauthier & Connors LLP
225 Franklin Street, Suite 2300
Boston, MA 02110

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

AUG 24 2005